

FIG. 1




FIG. 2






FIG. 6




FIG. 7

FIG. 8 is a perspective view of the device 100 in a first position. The device 100 includes a base 120, a support 122, a platform 124, a first side wall 126, a second side wall 128, a front wall 130, a back wall 132, a top wall 134, a bottom wall 136, a first end wall 138, a second end wall 140, a first side panel 142, a second side panel 144, a front panel 146, a back panel 148, a top panel 150, a bottom panel 152, a first end panel 154, a second end panel 156, a first side flange 158, a second side flange 160, a front flange 162, a back flange 164, a top flange 166, a bottom flange 168, a first end flange 170, a second end flange 172, a first side lip 174, a second side lip 176, a front lip 178, a back lip 180, a top lip 182, a bottom lip 184, a first end lip 186, a second end lip 188, a first side edge 190, a second side edge 192, a front edge 194, a back edge 196, a top edge 198, a bottom edge 200, a first end edge 202, a second end edge 204, a first side corner 206, a second side corner 208, a front corner 210, a back corner 212, a top corner 214, a bottom corner 216, a first end corner 218, a second end corner 220, a first side joint 222, a second side joint 224, a front joint 226, a back joint 228, a top joint 230, a bottom joint 232, a first end joint 234, a second end joint 236, a first side seam 238, a second side seam 240, a front seam 242, a back seam 244, a top seam 246, a bottom seam 248, a first end seam 250, a second end seam 252, a first side groove 254, a second side groove 256, a front groove 258, a back groove 260, a top groove 262, a bottom groove 264, a first end groove 266, a second end groove 268, a first side ridge 270, a second side ridge 272, a front ridge 274, a back ridge 276, a top ridge 278, a bottom ridge 280, a first end ridge 282, a second end ridge 284, a first side slot 286, a second side slot 288, a front slot 290, a back slot 292, a top slot 294, a bottom slot 296, a first end slot 298, a second end slot 300, a first side opening 302, a second side opening 304, a front opening 306, a back opening 308, a top opening 310, a bottom opening 312, a first end opening 314, a second end opening 316, a first side hole 318, a second side hole 320, a front hole 322, a back hole 324, a top hole 326, a bottom hole 328, a first end hole 330, a second end hole 332, a first side notch 334, a second side notch 336, a front notch 338, a back notch 340, a top notch 342, a bottom notch 344, a first end notch 346, a second end notch 348, a first side protrusion 350, a second side protrusion 352, a front protrusion 354, a back protrusion 356, a top protrusion 358, a bottom protrusion 360, a first end protrusion 362, a second end protrusion 364, a first side bump 366, a second side bump 368, a front bump 370, a back bump 372, a top bump 374, a bottom bump 376, a first end bump 378, a second end bump 380, a first side tab 382, a second side tab 384, a front tab 386, a back tab 388, a top tab 390, a bottom tab 392, a first end tab 394, a second end tab 396, a first side lip 398, a second side lip 400, a front lip 402, a back lip 404, a top lip 406, a bottom lip 408, a first end lip 410, a second end lip 412, a first side edge 414, a second side edge 416, a front edge 418, a back edge 420, a top edge 422, a bottom edge 424, a first end edge 426, a second end edge 428, a first side corner 430, a second side corner 432, a front corner 434, a back corner 436, a top corner 438, a bottom corner 440, a first end corner 442, a second end corner 444, a first side joint 446, a second side joint 448, a front joint 450, a back joint 452, a top joint 454, a bottom joint 456, a first end joint 458, a second end joint 460, a first side seam 462, a second side seam 464, a front seam 466, a back seam 468, a top seam 470, a bottom seam 472, a first end seam 474, a second end seam 476, a first side groove 478, a second side groove 480, a front groove 482, a back groove 484, a top groove 486, a bottom groove 488, a first end groove 490, a second end groove 492, a first side ridge 494, a second side ridge 496, a front ridge 498, a back ridge 500, a top ridge 502, a bottom ridge 504, a first end ridge 506, a second end ridge 508, a first side slot 510, a second side slot 512, a front slot 514, a back slot 516, a top slot 518, a bottom slot 520, a first end slot 522, a second end slot 524, a first side opening 526, a second side opening 528, a front opening 530, a back opening 532, a top opening 534, a bottom opening 536, a first end opening 538, a second end opening 540, a first side hole 542, a second side hole 544, a front hole 546, a back hole 548, a top hole 550, a bottom hole 552, a first end hole 554, a second end hole 556, a first side notch 558, a second side notch 560, a front notch 562, a back notch 564, a top notch 566, a bottom notch 568, a first end notch 570, a second end notch 572, a first side protrusion 574, a second side protrusion 576, a front protrusion 578, a back protrusion 580, a top protrusion 582, a bottom protrusion 584, a first end protrusion 586, a second end protrusion 588, a first side bump 590, a second side bump 592, a front bump 594, a back bump 596, a top bump 598, a bottom bump 600, a first end bump 602, a second end bump 604, a first side tab 606, a second side tab 608, a front tab 610, a back tab 612, a top tab 614, a bottom tab 616, a first end tab 618, a second end tab 620, a first side lip 622, a second side lip 624, a front lip 626, a back lip 628, a top lip 630, a bottom lip 632, a first end lip 634, a second end lip 636, a first side edge 638, a second side edge 640, a front edge 642, a back edge 644, a top edge 646, a bottom edge 648, a first end edge 650, a second end edge 652, a first side corner 654, a second side corner 656, a front corner 658, a back corner 660, a top corner 662, a bottom corner 664, a first end corner 666, a second end corner 668, a first side joint 670, a second side joint 672, a front joint 674, a back joint 676, a top joint 678, a bottom joint 680, a first end joint 682, a second end joint 684, a first side seam 686, a second side seam 688, a front seam 690, a back seam 692, a top seam 694, a bottom seam 696, a first end seam 698, a second end seam 700, a first side groove 702, a second side groove 704, a front groove 706, a back groove 708, a top groove 710, a bottom groove 712, a first end groove 714, a second end groove 716, a first side ridge 718, a second side ridge 720, a front ridge 722, a back ridge 724, a top ridge 726, a bottom ridge 728, a first end ridge 730, a second end ridge 732, a first side slot 734, a second side slot 736, a front slot 738, a back slot 740, a top slot 742, a bottom slot 744, a first end slot 746, a second end slot 748, a first side opening 750, a second side opening 752, a front opening 754, a back opening 756, a top opening 758, a bottom opening 760, a first end opening 762, a second end opening 764, a first side hole 766, a second side hole 768, a front hole 770, a back hole 772, a top hole 774, a bottom hole 776, a first end hole 778, a second end hole 780, a first side notch 782, a second side notch 784, a front notch 786, a back notch 788, a top notch 790, a bottom notch 792, a first end notch 794, a second end notch 796, a first side protrusion 798, a second side protrusion 800, a front protrusion 802, a back protrusion 804, a top protrusion 806, a bottom protrusion 808, a first end protrusion 810, a second end protrusion 812, a first side bump 814, a second side bump 816, a front bump 818, a back bump 820, a top bump 822, a bottom bump 824, a first end bump 826, a second end bump 828, a first side tab 830, a second side tab 832, a front tab 834, a back tab 836, a top tab 838, a bottom tab 840, a first end tab 842, a second end tab 844, a first side lip 846, a second side lip 848, a front lip 850, a back lip 852, a top lip 854, a bottom lip 856, a first end lip 858, a second end lip 860, a first side edge 862, a second side edge 864, a front edge 866, a back edge 868, a top edge 870, a bottom edge 872, a first end edge 874, a second end edge 876, a first side corner 878, a second side corner 880, a front corner 882, a back corner 884, a top corner 886, a bottom corner 888, a first end corner 890, a second end corner 892, a first side joint 894, a second side joint 896, a front joint 898, a back joint 900, a top joint 902, a bottom joint 904, a first end joint 906, a second end joint 908, a first side seam 910, a second side seam 912, a front seam 914, a back seam 916, a top seam 918, a bottom seam 920, a first end seam 922, a second end seam 924, a first side groove 926, a second side groove 928, a front groove 930, a back groove 932, a top groove 934, a bottom groove 936, a first end groove 938, a second end groove 940, a first side ridge 942, a second side ridge 944, a front ridge 946, a back ridge 948, a top ridge 950, a bottom ridge 952, a first end ridge 954, a second end ridge 956, a first side slot 958, a second side slot 960, a front slot 962, a back slot 964, a top slot 966, a bottom slot 968, a first end slot 970, a second end slot 972, a first side opening 974, a second side opening 976, a front opening 978, a back opening 980, a top opening 982, a bottom opening 984, a first end opening 986, a second end opening 988, a first side hole 990, a second side hole 992, a front hole 994, a back hole 996, a top hole 998, a bottom hole 1000, a first end hole 1002, a second end hole 1004, a first side notch 1006, a second side notch 1008, a front notch 1010, a back notch 1012, a top notch 1014, a bottom notch 1016, a first end notch 1018, a second end notch 1020, a first side protrusion 1022, a second side protrusion 1024, a front protrusion 1026, a back protrusion 1028, a top protrusion 1030, a bottom protrusion 1032, a first end protrusion 1034, a second end protrusion 1036, a first side bump 1038, a second side bump 1040, a front bump 1042, a back bump 1044, a top bump 1046, a bottom bump 1048, a first end bump 1050, a second end bump 1052, a first side tab 1054, a second side tab 1056, a front tab 1058, a back tab 1060, a top tab 1062, a bottom tab 1064, a first end tab 1066, a second end tab 1068, a first side lip 1070, a second side lip 1072, a front lip 1074, a back lip 1076, a top lip 1078, a bottom lip 1080, a first end lip 1082, a second end lip 1084, a first side edge 1086, a second side edge 1088, a front edge 1090, a back edge 1092, a top edge 1094, a bottom edge 1096, a first end edge 1098, a second end edge 1100, a first side corner 1102, a second side corner 1104, a front corner 1106, a back corner 1108, a top corner 1110, a bottom corner 1112, a first end corner 1114, a second end corner 1116, a first side joint 1118, a second side joint 1120, a front joint 1122, a back joint 1124, a top joint 1126, a bottom joint 1128, a first end joint 1130, a second end joint 1132, a first side seam 1134, a second side seam 1136, a front seam 1138, a back seam 1140, a top seam 1142, a bottom seam 1144, a first end seam 1146, a second end seam 1148, a first side groove 1150, a second side groove 1152, a front groove 1154, a back groove 1156, a top groove 1158, a bottom groove 1160, a first end groove 1162, a second end groove 1164, a first side ridge 1166, a second side ridge 1168, a front ridge 1170, a back ridge 1172, a top ridge 1174, a bottom ridge 1176, a first end ridge 1178, a second end ridge 1180, a first side slot 1182, a second side slot 1184, a front slot 1186, a back slot 1188, a top slot 1190, a bottom slot 1192, a first end slot 1194, a second end slot 1196, a first side opening 1198, a second side opening 1200, a front opening 1202, a back opening 1204, a top opening 1206, a bottom opening 1208, a first end opening 1210, a second end opening 1212, a first side hole 1214, a second side hole 1216, a front hole 1218, a back hole 1220, a top hole 1222, a bottom hole 1224, a first end hole 1226, a second end hole 1228, a first side notch 1230, a second side notch 1232, a front notch 1234, a back notch 1236, a top notch 1238, a bottom notch 1240, a first end notch 1242, a second end notch 1244, a first side protrusion 1246, a second side protrusion 1248, a front protrusion 1250, a back protrusion 1252, a top protrusion 1254, a bottom protrusion 1256, a first end protrusion 1258, a second end protrusion 1260, a first side bump 1262, a second side bump 1264, a front bump 1266, a back bump 1268, a top bump 1270, a bottom bump 1272, a first end bump 1274, a second end bump 1276, a first side tab 1278, a second side tab 1280, a front tab 1282, a back tab 1284, a top tab 1286, a bottom tab 1288, a first end tab 1290, a second end tab 1292, a first side lip 1294, a second side lip 1296, a front lip 1298, a back lip 1300, a top lip 1302, a bottom lip 1304, a first end lip 1306, a second end lip 1308, a first side edge 1310, a second side edge 1312, a front edge 1314, a back edge 1316, a top edge 1318, a bottom edge 1320, a first end edge 1322, a second end edge 1324, a first side corner 1326, a second side corner 1328, a front corner 1330, a back corner 1332, a top corner 1334, a bottom corner 1336, a first end corner 1338, a second end corner 1340, a first side joint 1342, a second side joint 1344, a front joint 1346, a back joint 1348, a top joint 1350, a bottom joint 1352, a first end joint 1354, a second end joint 1356, a first side seam 1358, a second side seam 1360, a front seam 1362, a back seam 1364, a top seam 1366, a bottom seam 1368, a first end seam 1370, a second end seam 1372, a first side groove 1374, a second side groove 1376, a front groove 1378, a back groove 1380, a top groove 1382, a bottom groove 1384, a first end groove 1386, a second end groove 1388, a first side ridge 1390, a second side ridge 1392, a front ridge 1394, a back ridge 1396, a top ridge 1398, a bottom ridge 1400, a first end ridge 1402, a second end ridge 1404, a first side slot 1406, a second side slot 1408, a front slot 1410, a back slot 1412, a top slot 1414, a bottom slot 1416, a first end slot 1418, a second end slot 1420, a first side opening 1422, a second side opening 1424, a front opening 1426, a back opening 1428, a top opening 1430, a bottom opening 1432, a first end opening 1434, a second end opening 1436, a first side hole 1438, a second side hole 1440, a front hole 1442, a back hole 1444, a top hole 1446, a bottom hole 1448, a first end hole 1450, a second end hole 1452, a first side notch 1454, a second side notch 1456, a front notch 1458, a back notch 1460, a top notch 1462, a bottom notch 1464, a first end notch 1466, a second end notch 1468, a first side protrusion 1470, a second side protrusion 1472, a front protrusion 1474, a back protrusion 1476, a top protrusion 1478, a bottom protrusion 1480, a first end protrusion 1482, a second end protrusion 1484, a first side bump 1486, a second side bump 1488, a front bump 1490, a back bump 1492, a top bump 1494, a bottom bump 1496, a first end bump 1498, a second end bump 1500, a first side tab 1502, a second side tab 1504, a front tab 1506, a back tab 1508, a top tab 1510, a bottom tab 1512, a first end tab 1514, a second end tab 1516, a first side lip 1518, a second side lip 1520, a front lip 1522, a back lip 1524, a top lip 1526, a bottom lip 1528, a first end lip 1530, a second end lip 1532, a first side edge 1534, a second side edge 1536, a front edge 1538, a back edge 1540, a top edge 1542, a bottom edge 1544, a first end edge 1546, a second end edge 1548, a first side corner 1550, a second side corner 1552, a front corner 1554, a back corner 1556, a top corner 1558, a bottom corner 1560, a first end corner 1562, a second end corner 1564, a first side joint 1566, a second side joint 1568, a front joint 1570, a back joint 1572, a top joint 1574, a bottom joint 1576, a first end joint 1578, a second end joint 1580, a first side seam 1582, a second side seam 1584, a front seam 1586, a back seam 1588, a top seam 1590, a bottom seam 1592, a first end seam 1594, a second end seam 1596, a first side groove 1598, a second side groove 1600, a front groove 1602, a back groove 1604, a top groove 1606, a bottom groove 1608, a first end groove 1610, a second end groove 1612, a first side ridge 1614, a second side ridge 1616, a front ridge 1618, a back ridge 1620, a top ridge 1622, a bottom ridge 1624, a first end ridge 1626, a second end ridge 1628, a first side slot 1630, a second side slot 1632, a front slot 1634, a back slot 1636, a top slot 1638, a bottom slot 1640, a first end slot 1642, a second end slot 1644, a first side opening 1646, a second side opening 1648, a front opening 1650, a back opening 1652, a top opening 1654, a bottom opening 1656, a first end opening 1658, a second end opening 1660, a first side hole 1662, a second side hole 1664, a front hole 1666, a back hole 1668, a top hole 1670, a bottom hole 1672, a first end hole 1674, a second end hole 1676, a first side notch 1678, a second side notch 1680, a front notch 1682, a back notch 1684, a top notch 1686, a bottom notch 1688, a first end notch 1690, a second end notch 1692, a first side protrusion 1694, a second side protrusion 1696, a front protrusion 1698, a back protrusion 1700, a top protrusion 1702, a bottom protrusion 1704, a first end protrusion 1706, a second end protrusion 1708, a first side bump 1710, a second side bump 1712, a front bump 1714, a back bump 1716, a top bump 1718, a bottom bump 1720, a first end bump 1722, a second end bump 1724, a first side tab 1726, a second side tab 1728, a front tab 1730, a back tab 1732, a top tab 1734, a bottom tab 1736, a first end tab 1738, a second end tab 1740, a first side lip 1742, a second side lip 1744, a front lip 1746, a back lip 1748, a top lip 1750, a bottom lip 1752, a first end lip 1754, a second end lip 1756, a first side edge 1758, a second side edge 1760, a front edge 1762, a back edge 1764, a top edge 1766, a bottom edge 1768, a first end edge 1770, a second end edge 1772, a first side corner 1774, a second side corner 1776, a front corner 1778, a back corner 1780, a top corner 1782, a bottom corner 1784, a first end corner 1786, a second end corner 1788, a first side joint 1790, a second side joint 1792, a front joint 1794, a back joint 1796, a top joint 1798, a bottom joint 1800, a first end joint 1802, a second end joint 1804, a first side seam 1806, a second side seam 1808, a front seam 1810, a back seam 1812, a top seam 1814, a bottom seam 1816, a first end seam 1818, a second end seam 1820, a first side groove 1822, a second side groove 1824, a front groove 1826, a back groove 1828, a top groove 1830, a bottom groove 1832, a first end groove 1834, a second end groove 1836, a first side ridge 1838, a second side ridge 1840, a front ridge 1842, a back ridge 1844, a top ridge 1846, a bottom ridge 1848, a first end ridge 1850, a second end ridge 1852, a first side slot 1854, a second side slot 1856, a front slot 1858, a back slot 1860, a top slot 1862, a bottom slot 1864, a first end slot 1866, a second end slot 1868, a first side opening 1870, a second side opening 1872, a front opening 1874, a back opening 1876, a top opening 1878, a bottom opening 1880, a first end opening 1882, a second end opening 1884, a first side hole 1886, a second side hole 1888, a front hole 1890, a back hole 1892, a top hole 1894, a bottom hole 1896, a first end hole 1898, a second end hole 1900, a first side notch 1902, a second side notch 1904, a front notch 1906, a back notch 1908, a top notch 1910, a bottom notch 1912, a first end notch 1914, a second end notch 1916, a first side protrusion 1918, a second side protrusion 1920, a front protrusion 1922, a back protrusion 1924, a top protrusion 1926, a bottom protrusion 1928, a first end protrusion 1930, a second end protrusion 1932, a first side bump 1934, a second side bump 1936, a front bump 1938, a back bump 1940, a top bump 1942, a bottom bump 1944, a first end bump 1946, a second end bump 1948, a first side tab 1950, a second side tab 1952, a front tab 1954, a back tab 1956, a top tab 1958, a bottom tab 1960, a first end tab 1962, a second end tab 1964, a first side lip 1966, a second side lip 1968, a front lip 1970, a back lip 1972, a top lip 1974, a bottom lip 1976, a first end lip 1978, a second end lip 1980, a first side edge 1982, a second side edge 1984, a front edge 1986, a back edge 1988, a top edge 1990, a bottom edge 1992, a first end edge 1994, a second end edge 1996, a first side corner 1998, a second side corner 2000, a front corner 2002, a back corner 2004, a top corner 2006, a bottom corner 2008, a first end corner 2010, a second end corner 2012, a first side joint 2014, a second side joint 2016, a front joint 2018, a back joint 2020, a top joint 2022, a bottom joint 2024, a first end joint 2026, a second end joint 2028, a first side seam 2030, a second side seam 2032, a front seam 2034, a back seam 2036, a top seam 2038, a bottom seam 2040, a first end seam 2042, a second end seam 2044, a first side groove 2046, a second side groove 2048, a front groove 2050, a back groove 2052, a top groove 2054, a bottom groove 2056, a first end groove 2058, a second end groove 2060, a first side ridge 2062, a second side ridge 2064, a front ridge 2066, a back ridge 2068, a top ridge 2070, a bottom ridge 2072, a first end ridge 2074, a second end ridge 2076, a first side slot 2078, a second side slot 2080, a front slot 2082, a back slot 2084, a top slot 2086, a bottom slot 2088, a first end slot 2090, a second end slot 2092, a first side opening 2094, a second side opening 2096, a front opening 2098, a back opening 2100, a top opening 2102, a bottom opening 2104, a first end opening 2106, a second end opening 2108, a first side hole 2110, a second side hole 2112, a front hole 2114, a back hole 2116, a top hole 2118, a bottom hole 2120, a first end hole 2122, a second end hole 2124, a first side notch 2126, a second side notch 2128, a front notch 2130, a back notch 2132, a top notch 2134, a bottom notch 2136, a first end notch 2138, a second end notch 2140, a first side protrusion 2142, a second side protrusion 2144, a front protrusion 2146, a back protrusion 2148, a top protrusion 2150, a bottom protrusion 2152, a first end protrusion 2154, a second end protrusion 2156, a first side bump 2158, a second side bump 2160, a front bump 2162, a back bump 2164, a top bump 2166, a bottom bump 2168, a first end bump 2170, a second end bump 2172, a first side tab 2174, a second side tab 2176, a front tab 2178, a back tab 2180, a top tab 2182, a bottom tab 2184, a first end tab 2186, a second end tab 2188, a first side lip 2190, a second side lip 2192, a front lip 2194, a back lip 2196, a top lip 2198, a bottom lip 2200, a first end lip 2202, a second end lip 2204, a first side edge 2206, a second side edge 2208, a front edge 2210, a back edge 2212, a top edge 2214, a bottom edge 2216, a first end edge 2218, a second end edge 2220, a first side corner 2222, a second side corner 2224, a front corner 2226, a back corner 2228, a top corner 2230, a bottom corner 2232, a first end corner 2234, a second end corner 2236, a first side joint 2238, a second side joint 2240, a front joint 2242, a back joint 2244, a top joint 2246, a bottom joint 2248, a first end joint 2250, a second end joint 2252, a first side seam 2254, a second side seam 2256, a front seam 2258, a back seam 2260, a top seam 2262, a bottom seam 2264, a first end seam 2266, a second end seam 2268, a first side groove 2270, a second side groove 2272, a front groove 2274, a back groove 2276, a top groove 2278, a bottom groove 2280, a first end groove 2282, a second end groove 2284, a first side ridge 2286, a second side ridge 2288, a front ridge 2290, a back ridge 2292, a top ridge 2294, a bottom ridge 2296, a first end ridge 2298, a second end ridge 2300, a first side slot 2302, a second side slot 2304, a front slot 2306, a back slot 2308, a top slot 2310, a bottom slot 2312, a first end slot 2314, a second end slot 2316, a first side opening 2318, a second side opening 2320, a front opening 2322, a back opening 2324, a top opening 2326, a bottom opening 2328, a first end opening 2330, a second end opening 2332, a first side hole 2334, a second side hole 2336, a front hole 2338, a back hole 2340, a top hole 2342, a bottom hole 2344, a first end hole 2346, a second end hole 2348, a first side notch 2350, a second side notch 2352, a front notch 2354, a back notch 2356, a top notch 2358, a bottom notch 2360, a first end notch 2362, a second end notch 2364, a first side protrusion 2366, a second side protrusion 2368, a front protrusion 2370, a back protrusion 2372, a top protrusion 2374, a bottom protrusion 2376, a first end protrusion 2378, a second end protrusion 2380, a first side bump 2382, a second side bump 2384, a front bump 2386, a back bump 2388, a top bump 2390, a bottom bump 2392, a first end bump 2394, a second end bump 2396, a first side tab 2398, a second side tab 2400, a front tab 2402, a back tab 2404, a top tab 2406, a bottom tab 2408, a first end tab 2410, a second end tab 2412, a first side lip 2414, a second side lip 2416, a front lip 2418, a back lip 2420, a top lip 2422, a bottom lip 2424, a first end lip 2426, a second end lip 2428, a first side edge 2430, a second side edge 2432, a front edge 2434, a back edge 2436, a top edge 2438, a bottom edge 2440, a first end edge 2442, a second end edge 2444, a first side corner 2446, a second side corner 2448, a front corner 2450, a back corner 2452, a top corner 2454, a bottom corner 2456, a first end corner 2458, a second end corner 2460, a first side joint 2462, a second side joint 2464, a front joint 2466, a back joint 2468, a top joint 2470, a bottom joint 2472, a first end joint 2474, a second end joint 2476, a first side seam 2478, a second side seam 2480, a front seam 2482, a back seam 2484, a top seam 2486, a bottom seam 2488, a first end seam 2490, a second end seam 2492, a first side groove 2494, a second side groove 2496, a front groove 2498, a back groove 2500, a top groove 2502, a bottom groove 2504, a first end groove 2506, a second end groove 2508, a first side ridge 2510, a second side ridge 2512, a front ridge 2514, a back ridge 2516, a top ridge 2518, a bottom ridge 2520, a first end ridge 2522, a second end ridge 2524, a first side slot 2526, a second side slot 2528, a front slot 2530, a back slot 2532, a top slot 2534, a bottom slot 2536, a first end slot 2538, a second end slot 2540, a first side opening 2542, a second side opening 2544, a front opening 2546, a back opening 2548, a top opening 2550, a bottom opening 2552, a first end opening 2554, a second end opening 2556, a first side hole 2558, a second side hole 2560, a front hole 2562, a back hole 2564, a top hole 2566, a bottom hole 2568, a first end hole 2570, a second end hole 2572, a first side notch 2574, a second side notch 2576, a front notch 2578, a back notch 2580, a top notch 2582, a bottom notch 2584, a first end notch 2586, a second end notch 2588, a first side protrusion 2590, a second side protrusion 2592, a front protrusion 2594, a back protrusion 2596, a top protrusion 2598, a bottom protrusion 2600, a first end protrusion 2602, a second end protrusion 2604, a first side bump 2606, a second side bump 2608, a front bump 2610, a back bump 2612, a top bump 2614, a bottom bump 2616, a first end bump 2618, a second end bump 2620, a first side tab 2622, a second side tab 2624, a front tab 2626, a back tab 2628, a top tab 2630, a bottom tab 2632, a first end tab 2634, a second end tab 2636, a first side lip 2638, a second side lip 2640, a front lip 2642, a back lip 2644, a top lip 2646, a bottom lip 2648, a first end lip 2650, a second end lip 2652, a first side edge 2654, a second side edge 2656, a front edge 2658, a back edge 2660, a top edge 2662, a bottom edge 2664, a first end edge 2666, a second end edge 2668, a first side corner 2670, a second side corner 2672, a front corner 2674, a back corner 2676, a top corner 2678, a bottom corner 2680, a first end corner 2682, a second end corner 2684, a first side joint 2686, a second side joint 2688, a front joint 2690, a back joint 2692, a top joint 2694, a bottom joint 2696, a first end joint 2698, a second end joint 2700, a first side seam 2702, a second side seam 2704, a front seam 2706, a back seam 2708, a top seam 2710, a bottom seam 2712, a first end seam 2714, a second end seam 2716, a first side groove 2718, a second side groove 2720, a front groove 2722, a back groove 2724, a top groove 2726, a bottom groove 2728, a first end groove 2730, a second end groove 2732, a first side ridge 2734, a second side ridge 2736, a front ridge 2738, a back ridge 2740, a top ridge 2742, a bottom ridge 2744, a first end ridge 2746, a second end ridge 2748, a first side slot 2750, a second side slot 2752, a front slot 2754, a back slot 2756, a top slot 2758, a bottom slot 2760, a first end slot 2762, a second end slot 2764, a first side opening 2766, a second side opening 2768, a front opening 2770, a back opening 2772, a top opening 2774, a bottom opening 2776, a first end opening 2778, a second end opening 2780, a first side hole 2782, a second side hole 2784, a front hole 2786, a back hole 2




FIG. 11




FIG. 12

